
We're happy to assist you. Please contact us Phone: +4923539117-0 Mail: info@flora.biz

Rakes

Patented tools for everyday use – our professional rakes made of steel or aluminium are extremely sturdy and light. Its head angle is adjustable and enables the individual alignment of the handle. As in the old days, the Profi garden rake is hardened. The Aluminium rakes have impressed users with its flattening and sowing capability. Another advantage: the rear edge can be used for smoothing. Different versions are available for every use.






All aluminium rakes have an adjustable head angle.



Strong struts stabilise the NOVELTY wide aluminium rake and the pull-off profile.







Steel rakes

Professional smoothing rake (hardened, adjustable) Robust all-purpose rake with patented adjustability of the head angle for professional use. Insert socket, hardened, galvanised steel, head thickness 4 mm, PU 10

Number	Width (cm)	Tines	Number	Width (cm)	Tines	
02201/14	36	14	02201/16	42	16	

Professional light metal rake (hardened, adjustable) Robust straight rake with patented adjustability of the head angle for professional use. Insert socket, hardened, galvanised steel, head thickness 4 mm, PU 10

Number	Width (cm)	Tines	Number	Width (cm)	Tines
02202/14	36	14	02202/16	42	16

Garden rake Robust, all-purpose rake for professional use. Insert socket, powder-coated, PU 10

Number	Width (cm)	Tines	Number	Width (cm)	Tines
02289/8	20	8	02289/14	36	14
02289/10	26	10	02289/16	42	16
02289/12	31	12			

Bow rake Robust bow rake for everyday use, bow protects tender plants during use in dense growth areas. Insert socket, powder-coated, PU 10

Number	Width (cm)	Tines	Number	Width (cm)	Tines	
02291/14	36	14	02291/16	42	16	_

Lawn rake Rake for picking up particles of cut grass from the lawn. Insert socket, powder-coated, PU 10

Number	Width (cm)	Tines	Number	Width (cm)	Tines
02290/60	60	32	02290/100	100	56
02290/70	70	40			

Meadow rake Rake for picking up hay and cut grass on meadows. Insert socket, galvanised, PU 10

Number	Width (cm)	Tines	Number	Width (cm)	Tines
02292/75	75	22	02292/100	100	28

Furrow maker (adjustable) Furrow maker with patented adjustable head angle for creating uniform seed planting furrows, variably adjustable distance between furrows. Galvanised steel, PU 5

Number	Width (cm)	Furrow	Furrow length (cm)	
02238/75	75	6	12	
02238/120	120	10	12	











